NAME:	MEDICAID ID:
DOB:	PRIMARY CARE GIVER:
GENDER: □ MALE □ FEMALE	PHONE:
DATE OF SERVICE:	INFORMANT:
HISTORY	UNCLOTHED PHYSICAL EXAM
See new patient history form	See growth graph
INTERVAL HISTORY:	Weight: (%) Length: (%)
NKDA Allergies:	Head Circumference:(%)
0 (11)	Heart Rate: Respiratory Rate: Temperature (optional):
Current Medications:	Normal (Mark here if all items are WNL)
Visits to other health-care providers, facilities:	Abnormal (Mark all that apply and describe): Appearance Mouth/throat Genitalia Head/fontanels Teeth Extremities Skin Neck Back
Parental concerns/changes/stressors in family or home:	Eyes Heart/pulses Musculoskeletal Ears Lungs Hips Nose Abdomen Neurological Abnormal findings:
Psychosocial/Behavioral Health Issues: Y N Findings:	Abhornal illidings.
NUTRITION*: Breastmilk Min per feeding: Number of feedings in last 24 hrs: Formula (type) Oz per feeding: Number of feedings in last 24 hrs: Water source: fluoride: Y N Solids	HEALTH EDUCATION/ANTICIPATORY GUIDANCE (See back for useful topics) Selected health topics addressed in any of the following areas*: • Family Interaction • Safety • Nutrition/Feeding Routine • Infant Development/Behavior
*See Bright Futures Nutrition Book if needed	*See Bright Futures for assistance
IMMUNIZATIONS	ASSESSMENT
Up-to-date Deferred - Reason:	
Given today: DTaP Hep B Hib IPV PCV Meningococcal* Hib-Hep B	
DTaP-IPV-Hep B DTaP-IPV/Hib Influenza	PLAN/REFERRALS
*Special populations: See ACIP	
LABORATORY	Referral(s):
Tests ordered today:	
	Return to office:

Signature/title

Signature/title

0



Name: Medicaid ID:

Typical Developmentally Appropriate Health Education Topics

9 Month Checkup

- Lead risk assessment*
- Establish consistent bedtime routine
- Maintain consistent family routine
- Make 1:1 time for each child in family
- Establish routine and assist with tooth brushing with soft brush twice a day
- Limit TV time to 1-2 hours/day
- · Praise good behavior
- Promote language using simple words
- Provide age-appropriate toys
- Provide favorite toy for self-soothing during sleep time
- · Provide nap time daily
- Read books and talk about pictures/story using simple words
- Separation anxiety common
- Use distraction or choice of 2 appropriate options for discipline

- Introduce cup and encourage use to begin weaning process
- No bottle in bed
- · Slowly increase choice of solids
- · Cut table foods small, no hot dogs cut into circles
- · Do not leave alone in bath water
- · Empty all buckets containing water
- Home safety for fire/carbon monoxide poisoning, stair/window gates, electrical outlet covers, cleaning supplies, and medicines out of reach, remove all buckets
- Lock up guns
- No shaking baby (Shaken Baby Syndrome)
- Provide safe/quality day care, if needed
- Remove small toys/pins/plastic pieces to allow safe exploration
- Use rear-facing car seat in back seat of car until 12 months and 20 pounds

HEARING CHECKLIST FOR PARENTS (OPTIONAL)

Yes No

Turns and looks to you when you are speaking in a quiet voice

Waves when you say "bye-bye"

Ages Stops for a moment when you say "no-no"

Looks at objects or pictures when someone talks about them

Babbles song-like tunes

Uses voice to get your attention instead of crying Uses different sounds and appears to be naming things

*LEAD RISK FACTORS

Perform a blood lead test if parent/caretaker answers "Yes/Don't Know" to any of the questions below.

Don't Yes know No

- Child lives in or visits a home, day care, or other building built before 1978 or undergoing repair
- Pica (Eats non-food items)

6 to 9 months

- Family member with an elevated blood lead level
- Child is a newly arrived refugee or foreign adoptee
- Exposure to an adult with hobbies or jobs that may have risk of lead contamination (See Pb-110 for a list)
- Food sources (including candy) or remedies (See Pb-110 for a list)
- Imported or glazed pottery
- Cosmetics that may contain lead (See Pb-110 for a list)

The use of the Form Pb-110, Lead Risk Questionnaire is optional. It is available at www.dshs.state.tx.us/thsteps/forms.shtm. If completed, return the form to the Texas Childhood Lead Poisoning Prevention Program as directed on the form.

EARLY CHILDHOOD INTERVENTION (ECI)

The ECI referral form is available at:

http://txpeds.org/sites/txpeds.org/files/documents/ECI-Referral-Form.pdf



ECHR-9M 11/2013